




**GENERAL NOTES:**

- ORIENTATION** - WHERE PRACTICAL, THESE WIRING DIAGRAMS ARE LAYED OUT AS IF YOU ARE STANDING ON THE RIGHT SIDE OF THE BIKE, FACING THE RIGHT SIDE COVER, I.E. COMPONENTS TOWARD THE FRONT OF THE BIKE WILL BE TO THE RIGHT ON THE PAGE.
- GROUNDS** - FOR CLARITY, GROUND WIRES ARE ONLY REFERENCED ON CIRCUIT DIAGRAMS. THE COMPLETE GROUND BUS IS CONTAINED ON SHEET 7.
- WIRING** - ONLY THE WIRING THAT IS PERTINENT TO THE SUBJECT CIRCUIT IS SHOWN. ALL OTHER WIRING IS SHOWN AS DASHED LINES WITH A REFERENCE TO THE SHEET WHERE THEIR RESPECTIVE CIRCUITS ARE DISPLAYED.
- WIRING IDENTIFICATION** - WIRING IS COLOR CODED, EITHER A SOLID COLOR, OR A SOLID COLOR WITH A TRACE OF A SECOND COLOR. "RED/LT GREEN" WOULD INDICATE A RED WIRE WITH A LIGHT GREEN TRACE.
- CIRCUIT FOLLOWING** - THE EASIEST WAY TO FOLLOW A PARTICULAR CIRCUIT IS TO START AT THE FUSE (GENERALLY TO THE LEFT SIDE OF THE PAGE), AND FOLLOW THE WIRING FROM IT TO THE VARIOUS SWITCHES AND DEVICES THAT IT FEEDS.
- APPLICABILITY** - ALL SHEETS ARE APPLICABLE TO ALL YEAR MODELS EXCEPT AS NOTED ON THE SHEET.
- COMPONENT LOCATION** - COMPONENTS WITHIN A COMMON AREA ARE ENCLOSED WITHIN A BOLD OUTLINE BOX. WHERE THIS IS NOT PRACTICAL, COMPONENT LOCATION IS INCLUDED NEAR THE COMPONENT IDENTIFIER.




**SYMBOLS:**

- 10A IGNITION** MINI FUSE
- SP2** IN-HARNESS SPLICE. THIS CAN BE EITHER A SPLICE OR A JUMPER (HONDA IS NOT THAT SPECIFIC). A UNIQUE NUMBER IS ARBITRARILY ASSIGNED AND IS ONLY TO PROVIDE CONTINUITY FROM ONE SHEET TO THE NEXT
- INTERNAL COMPONENT SPLICE OR JUNCTION
- SP41** GROUND (SEE NOTE 2)
- SINGLE PIN CONNECTOR
- TWO INTO ONE CONNECTOR
- SPADE TYPE CONNECTOR
- "EYE" TYPE TERMINAL
- 9P MINI WHITE** MULTI PIN CONNECTOR. ROUNDED CORNER INDICATES THAT NOT ALL WIRES GOING TO THAT CONNECTOR ARE SHOWN - ONLY THE ONES RELEVANT TO THE SUBJECT CIRCUIT. CONNECTORS ARE IDENTIFIED BY COLOR AND THE NUMBER OF PINS THEY CONTAIN. ("9P" IN THE EXAMPLE INDICATES 9 PINS)  
 RECEPTACLE  
 PLUG
- SWITCH - SINGLE POLE, SINGLE THROW
- SWITCH - SINGLE POLE, DOUBLE THROW
- SWITCH - DOUBLE POLE, DOUBLE THROW



VALKYRIE WIRING DIAGRAM		
INTRO	NOTES & SYMBOLS	
STANDARD & TOURER	REV: 3/11/02	RP BROWN



**VALKYRIE WIRING DIAGRAM**

<b>SHEET 1</b>	<b>POWER DISTRIBUTION</b>	
STANDARD & TOURER	REV: 3/11/02	RP BROWN

Sumitomo  
 Male: 6120-2043  
 Female: 6110-4643

▲ '97 - '99 MODELS ONLY

TO DIODE AND CLUTCH SWITCH (SHEET 4)  
 TO ENG STOP SWITCH (SHEET 4)

RIGHT SIDE COVER

FUSE BOX

MAIN FUSE A  
30A

MAIN FUSE B  
55A

4P RED

TO STARTER  
(SHEET 4)


STARTER RELAY

2P MINI WHITE  
(UNDER SEAT)

OUTPUT  
VOLTAGE REG  
ALTERNATOR

2P WHITE

RED  
BLUE/ORANGE  
RED/WHITE  
RED/BLACK



IGNITION SWITCH

4P WHITE (UNDER TANK)

SP1 BLACK/LT GREEN  
 WHITE  
 WHITE

SP2 BLACK  
 BLACK

SP3 BROWN/BLUE  
 TO COOLANT TEMP INDICATOR UNIT (SHEET 6)

SP4 BLACK/RED  
 TO HEADLIGHT SIDE OF START SWITCH

SP41 LT GREEN/RED  
 GREEN


ACCESSORY TERMINAL (RIGHT SIDE COVER)

SP5 TO TACH LT (SHEET 2)  
 SP6 TO SPEEDO LT (SHEET 2)  
 TO POSITION LIGHTS (SHEET 2)  
 TO TAIL LIGHTS (SHEET 2)  
 TO NEUTRAL INDICATOR LIGHT (SHEET 6)  
 TO TACH & TACH INDICATOR LIGHTS (SHEET 5 & 6)

TO FAN MOTOR (SHEET 6)


TO BANK ANGLE RELAY (SHEET 4 & 5)  
 TO BANK ANGLE SENSOR (SHEET 4 & 5)

TO REAR BRAKE LIGHT SWITCH (SHEET 2)  
 TO FRONT BRAKE LIGHT SWITCH (SHEET 2),  
 HORN BUTTON (SHEET 3),  
 TURN SIGNAL RELAY (SHEET 2)




**VALKYRIE WIRING DIAGRAM**

<b>SHEET 2</b>	<b>POSITION, SIGNAL &amp; INSTRUMENT LIGHTS</b>
STANDARD & TOURER	REV: 3/11/02 RP BROWN




4 "MAKE BEFORE BREAK" TYPE SWITCH - ON POSITION CHANGE, NEW CIRCUIT ENERGIZED BEFORE OLD CIRCUIT DE-ENERGIZED

**VALKYRIE WIRING DIAGRAM**  
**SHEET 3** | **HORN AND HEADLIGHT**  
 STANDARD & TOURER | REV: 3/11/02 | RP BROWN




**VALKYRIE WIRING DIAGRAM**

<b>SHEET 4</b>	<b>STARTING CIRCUIT</b>
STANDARD & TOURER	REV: 3/11/02 RP BROWN




**VALKYRIE WIRING DIAGRAM**



**VALKYRIE WIRING DIAGRAM**


<b>SHEET 6</b>	<b>INDICATOR LIGHTS &amp; FAN CONTROL - '97 - '99 MODELS</b>	
STANDARD & TOURER	REV: 3/11/02	RP BROWN



**VALKYRIE WIRING DIAGRAM**


<b>SHEET 6A</b>	<b>INDICATOR LIGHTS &amp; FAN CONTROL - '00 MODELS &amp; ON</b>
STANDARD & TOURER	REV: 3/11/02    RP BROWN





▲ '97 - '99 MODELS ONLY

VALKYRIE WIRING DIAGRAM		
<b>SHEET 7</b>	<b>GROUND BUS</b>	
STANDARD & TOURER	REV: 3/11/02	RP BROWN



**VALKYRIE WIRING DIAGRAM**  
**APPENDIX A WIRING HARNESS**  
 STANDARD & TOURER REV: 3/11/02 RP BROWN

## VALKYRIE LIGHT BULB CROSS REFERENCE

Application	Effectivity <sup>1</sup>		Stock Spec/Quan	Honda P/N	Bulb, Base	Replacement Bulbs	Volts	Amps	Watts	MSCP <sup>2</sup>	Avg Life Hrs	MOL <sup>3</sup>	
Headlight		CT	12V 60/55W	34901-MC7-601	T-5, P43T-38	H4, 9003, HB2	12.8	4.7/4.3	60/55				
	C	CT	12V 60/55W	34901-MC7-601AH									
			CF	12V 45/45 W X 2	34901-MS2-671	T-5, P43T-38	H4, 9003 <sup>4</sup>	12.8	3.5/3.5	45/45			
Brake/Tail Light	C	CT	12V 32/3 CP (12V 23/8W)	34905-425-671	S-8, D.C. Index	1157	12.8/14	2.1/5.9	26.8/8.3	32/3	1200/5000	2.00	
						2357	12.8/14	2.23/5.9	28.54/8.26	40/3	400/5000	2.00	
			CF	12V 21/5 W ECE X 2	34906-MBB-611	S-8, Plastic Wedge	3157	12.8/14	2.1/5.9	26.8/8.3	32/3	1200/5000	2.13
							3357	12.8/14	2.23/5.9	28.54/8.26	40/3	400/5000	2.13
License Light		CT	CF 12V 4 CP	34902-500-003	G-6, S.C. Bayonet	67	13.5	0.59	8	4	5000	1.44	
		CT	CF 12V 4 CP	34908-272-000									
	C	CT	CF 12V 4 CP	34909-505-610									
		CT	CF 12V 8W	34616-568-671									
		CT	CF 12V 4CP 8W (67)	34909-505-003									
Front Turn/Running Light	C	CT	12V 32/3 CP X 2 (12V 23/8W)	34905-425-671	S-8, D.C. Index	1157	12.8	2.1/5.9	26.9/7.5	32/3	1200/1500	2.00	
		98-00C, 00CT, CF	12V 35/2.8 CP X 2 (12V 21/5W)	34906-447-711									
Rear Turn Signal	C	CT	12V 32 CP X 2 (12V 23W)	34905-268-671	S-8, S.C. Bayonet	1156	12.8	2.1	26.9	32	1200	2.00	
		00CF	(12V 23W)										
	C	00CT	12V 36.8 CP X 2 (12V 21W)	34908-634-611									
Tach & Speedo Lt	C	CT	12V 1.7 W	34908-MB9-871	T-3 1/4, Wedge	161	14.0	0.19	2.7	1	4000	1.06	
		98CT	T10 (mm)	34908-MZ0-760		158	14.0	0.24	3.4	2	500	1.06	
			CF	12V 1.7 W	34908-MG9-951	T-1 3/4, Mini Wedge	74	14.0	0.10	1.4	1	500	0.80
							70	14.0	0.15	2.1	2	1000	0.80
LCD Module Lt			CF	12V 1.7 W	T-1 3/4, Mini Wedge	74	14.0	0.10	1.4	1	500	0.80	
							70	14.0	0.15	2.1	2	1000	0.80
Hi Beam, Neutral, & Turn Signal Ind	C	CT	12V 3 W	34908-KM1-671	T-3 1/4, Wedge	161	14.0	0.19	2.7	1	4000	1.06	
							158	14.0	0.24	3.4	2	500	1.06
Trunk Accy Lights			CF	12V 3W X 2	T-3 1/4, Wedge	158	14.0	0.24	3.4	2	500	1.06	
							194	14.0	0.27	3.8	2	2500	1.06
							168	14.0	0.35	4.9	3	1500	1.06

<sup>1</sup> C = Standard; CT = Tourer; CF = Interstate (All year models except as shown)

<sup>2</sup> Mean spherical candle power

<sup>3</sup> Mean overall length (inches)

<sup>4</sup> Stock Honda bulb is proprietary - H4 replacement may require shim

VALKYRIE WIRING DIAGRAM		
APPENDIX B	LIGHT BULB CROSS REF	
STANDARD & TOURER	REV: 3/11/02	RP BROWN